
BEST AVAILABLE COPY

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	09/509,449/5	_ RECEIVED
Source:	1648	MAY 2 9 2001
Date Processed by STIC:	5/11/2001	TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

1648

```
PATENT APPLICATION: US/09/509,449B
                                                        TIME: 13:46:39
                Input Set : A:\ST25.txt
                                                                          Does Not Comply
               Output Set: N:\CRF3\05112001\I509449B.raw
                                                                     Corrected Diskette Needed
3 <110> APPLICANT: Aoyagi, Katsumi
         Ohue, Chiharu
5
         Iida, Kumiko
        Yagi, Shintaro
8 <120> TITLE OF INVENTION: Method for Measurement of Hepatitis C Virus
10 <130> FILE REFERENCE: 594.352USWO
12 <140> CURRENT APPLICATION NUMBER: 09/509,449B
13 <141> CURRENT FILING DATE: 2000-03-28
15 <150> PRIOR APPLICATION NUMBER: JP-10-216094
16 <151> PRIOR FILING DATE: 1998-07-30
                                                                           MAY 2 9 2001
18 <150> PRIOR APPLICATION NUMBER: PCT/JP99/04129
19 <151> PRIOR FILING DATE: 1999-07-30
                                                                     TECH CENTER 1600/2900
21 <160> NUMBER OF SEO ID NOS: 11
23 <170> SOFTWARE: PatentIn version 3.0
```

DATE: 05/11/2001

RAW SEQUENCE LISTING

ERRORED SEQUENCES

```
317 <210> SEQ ID NO: 11
                                   see item 11 on Euro Summany Sheet
    318 <211> LENGTH: 396
    319 <212> TYPE: PRT
C--> 320 <213> ORGANISM: (Artificial)
    322 <220> FEATURE:
    323 <223> OTHER INFORMATION: Amino acid sequence coding for chimeric antigen.
    325 <400> SEQUENCE: 11
    327 Glu Phe Thr Lys Val Pro Val Ala Tyr Ala Ala Lys Gly Tyr Lys Val
    331 Leu Val Leu Asp Pro Ser Val Ala Ser Thr Leu Gly Phe Gly Ala Tyr
                                       25
    335 Leu Ser Lys Ala His Gly Val Asn Pro Asn Ile Arg Thr Gly Ile Arg
                                    40
    339 Thr Val Thr Thr Gly Ala Pro Val Thr Tyr Ser Thr Tyr Gly Lys Tyr
                               55
    343 Leu Ala Asp Gly Gly Cys Ala Gly Gly Ala Tyr Asp Val Ile Gly Ser
    347 Gly Glu Glu Val Ala Leu Ser Asn Thr Gly Glu Val Pro Phe Tyr Gly
                        85
                                           90
    351 Arg Ala Ile Pro Ile Glu Ala Ile Lys Gly Gly Arg His Leu Val Phe
                  100
                                       105
    355 Cys His Ser Lys Glu Lys Cys Asp Glu Leu Ala Ser Ala Leu Ser Gly
                                    120
    359 Leu Gly Leu Asn Ala Val Ala Phe Tyr Arg Gly Leu Asp Val Ser Ile
                               135
                                                   140
    363 Ile Pro Thr Gln Gly Asp Val Val Ile Val Ser Thr Asp Ala Leu Met
                          150
                                              155
    367 Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Val Asp Cys Asn Thr Cys
    368
                        165
```

The types of errors shown exist throughout the Sequence Listing. Please check a large sequences for similar errors.





RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/509,449B

DATE: 05/11/2001
TIME: 13:46:39

Input Set : A:\ST25.txt

Output Set: N:\CRF3\05112001\I509449B.raw

371 372	Ile	Thr		Gly 180	Ser	Gly	Leu	Val	Ser 185	Phe	Ala	Ser		Val	Pro	Tyr
	Ile	Glu			Met	Gln	Leu	Ser 200		Gln	Phe	Lys			Ser	Leu
379 380	Gly	Leu 210	Leu	Gln	Thr	Aļa	Thr 215	Lys	Gln	Ala	Glu	Ala 220	Ala	Ala	Pro	Val
383 384		Gly	Thr	Pro	Lys	Ser 230	Arg	Arg	Pro	Glu	Gly 235	Arg	Ala	Trp	Ala	Gln 240
387 388	Pro	Gly	Thr	Ile	Ile 245	Leu	Ser	Gly	Arg	Pro 250	Ala	Val	Val	Pro	Asp 255	Arg
391 392	Glu	Val	Leu	Tyr 260	Gln	Glu	Phe	Leu	Glu 265	Ala	Ser	Arg	Ala	Ala 270	Leu	Ile
395 396	Glu	Glu	Gly 275	Gln	Arg	Ile	Ala	Glu 280	Met	Leu	Lys	Ser	Lys 285	Ile	Gln	Gly
399 400	Leu	Leu 290	Gln	Gln	Ala	Ser	Lys 295	Gln	Ala	Gln	Asp	Ile 300	Lys	Ile	Asp	Gly
403 404		Leu	Ile	Ile	Pro	Lys 310	Asp	Arg	Arg	Ser	Thr 315	Gly	Lys	Ser	Trp	Gly 320
407 408	Lys	Pro	Gly	Phe	Leu 325	Ile	Asp	Ser	Leu	His 330	Ile	Asn	Gln	Arg	Ala 335	Val
411 412	Val	Ala	Pro	Asp 340	Lys	Glu	Val	Leu	Tyr 345	Glu	Ala	Phe	Asp	Glu 350	Met	Glu
415 416	Leu	Ala	Met 355	Gly	Thr	Asn	Pro	Lys 360	Pro	Glu	Arg	Lys	Ser 365	Lys	Arg	Asn
420		370		_			375					380	Ser	Gly	Gln	Val
423 424		Gly	Gly	Val	Tyr	Leu 390	Val	Pro	Arg	Arg \	Gly 395	Pro				
431	6) _{//}	1 1	4		+	<u></u>	1	1	W	le						





VERIFICATION SUMMARY DATE: 05/11/2001 PATENT APPLICATION: US/09/509,449B TIME: 13:46:40

Input Set : A:\ST25.txt
Output Set: N:\CRF3\05112001\I509449B.raw

L:108	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:3
L:124	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:4
L:137	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:5
L:153	M:220	C :	Keyword	${\tt misspelled}$	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:6
L:169	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:7
L:181	M:220	C :	Keyword	${\tt misspelled}$	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:8
L:193	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:9
L:206	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:10
L:320	M:220	C :	Keyword	misspelled	or	invalid	format,	<213>	ORGANISM	for	SEQ	ID#:11
L:431	M:332	\mathbf{E} :	(32) Inv	/alid/Missir	ıg A	Amino Aci	d Number	ing, S	SEQ ID:11			

ERROR DETECTED SUGGESTED CORRECTION

SERIAL NUMBER: 09/809,4498

ATTN	—	LEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE
1	Wrapped Nucleics	The number/text at the end of each line "wrapped" down to the next line.
		This may occur if your file was retrieved in a word processor after creating it.
		Please adjust your right margin to .3, as this will prevent "wrapping".
2	Wrapped Aminos	The amino acid number/text at the end of each line "wrapped" down to the next line.
	•••	This may occur if your file was retrieved in a word processor after creating it.
		Please adjust your right margin to .3, as this will prevent "wrapping".
3	Incorrect Line Length	The rules require that a line not exceed 72 characters in length. This includes spaces.
4	Micelianed Amine Acid	The numbering under each 5th amine said is misslighed. This may be equied by the use of take
4	Misaligned Amino Acid Numbering	The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs between the numbering. It is recommended to delete any tabs and use spacing between the numbers.
5	Non-ASCII	This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.
		Please ensure your subsequent submission is saved in ASCII text so that it can be processed.
6	Variable Length	Sequence(s) contain n's or Xaa's which represented more than one residue.
		As per the rules, each n or Xaa can only represent a single residue.
		Please present the maximum number of each residue having variable length and
		indicate in the (ix) feature section that some may be missing.
7	Patentin ver. 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid
	·	sequence(s) Normally, Patentin would automatically generate this section from the
		previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section
		to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223>
		sections for Artificial or Unknown sequences.
8	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence:
	(OLD RULES)	(2) INFORMATION FOR SEQ ID NO:X:
		(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS")
	•	(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:
		This sequence is intentionally skipped
		Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s).
9	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence.
	(NEW RULES)	<210> sequence id number
		<400> sequence id number
		000
10	Use of n's or Xaa's	Use of n's and/or Xaa's have been detected in the Sequence Listing.
	(NEW RULES)	Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
	(0.2.0.002.0)	In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
11	Use of "Artificial"	Use of "Artificial" only as "<213> Organism" response is incomplete, per 1.823(b) of New Sequence Rules.
	(NEW RULES)	Valid response is Artificial Sequence.
12	Use of <220>Feature	Sequence(s) are missing the <220>Feature and associated headings.
· ~ —	(NEW RULES)	Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial Sequence" or "Unknown"
	(NEW NOLLO)	Please explain source of genetic material in <220> to <223> section.
		(See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules)
		······································
13	Patentin ver. 2.0 "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted
	•	file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing).
		Instead, please use "File Manager" or any other means to copy file to floppy disk.

AMC - Biotechnology Systems Branch - 4/06/2001